

1445 North Orchard • Boise, Idaho 83706-2239 • (208) 373-0550

Dirk Kempthorne, Governor C. Stephen Alfred, Director

December 18, 2000

CERTIFIED MAIL #7099 3220 0006 2681 7606

Mr. Tom Spurling Safety Coordinator Champion Home Builders 1442 Sunnyside Road Weiser, ID 83672

RE:

T2-000072. Champion Home Builders, Weiser

Final Tier II Operating Permit No. 087-00008, Production of Manufactured Homes

Dear Mr. Spurling:

On May 2, 2000, the Idaho Department of Environmental Quality (DEQ) received an application for a Tier II Operating Permit (OP) from the Champion Home Builders. On June 2, 2000, the application was declared complete.

On September 20, 2000, a proposed Tier II OP was issued for public comment. The public comment period was from September 20, 2000 through October 20, 2000. No comments were received.

Based on review of your application, state and federal rules and regulations, and comments received, DEQ finds this project meets the provisions of IDAPA 58.01.01.400 (*Rules for the Control of Air Pollution in Idaho*). Therefore, enclosed is the final Tier II OP #087-00008 for the emissions that exist at your facility.

You, as well as any other entity, may have the right to appeal this final agency action pursuant to the Idaho Department of Health and Welfare Rules, Title 5, Chapter 3, "Rules Governing Contested Case Proceedings and Declaratory Rulings," by filing a petition with the Hearings Coordinator, Department of Environmental Quality, 1410 N. Hilton, Boise, ID 38706-1255, within thirty-five (35) days of the date of this decision. However, DEQ encourages you to contact the Air Quality Permit Program to address any concerns you may have with the enclosed permit prior to filing a petition for a contested case.

If you have any questions regarding the terms or conditions of the enclosed permit, please contact Tom Krinke, Air Quality Science Officer, of the Boise Regional Office, at (208) 373-0550.

Sincerely,

Stephen E. West Regional Administrator Boise Regional Office

SEW/BR/CML:XFERMIR_PERMBROITZXCHAMPIT2000072,FPL

Enclosure

CC:

Boise Regional Office
L. Kral, EPA - Region 10

•		PERMIT N	UMBER					
	State of Idaho		- 00008					
De	partment of Environmental Quality		<u> </u>					
		AQCR	CLASS	SIC				
	AIR POLLUTION	0 6 3	<u> </u>	1 5 2 1				
	OPERATING PERMIT	ZONE	UTM CO	OORDINATE (km)				
	GENERAL INFORMATION		5 0 4 . 2	4895.6				
1.	PERMITTEE							
	Champion Home Builders	·						
2.	PROJECT							
	Tier II Operating Permit							
3.	MAILING ADDRESS	TELE	PHONE #	COUNTY				
	1442 Sunnyside Road	(208)	549-1410	Washington				
4.	CITY	STAT	E	ZIP CODE				
	Weiser	Idaho		83672				
5.	PERSON TO CONTACT	TITL	*					
	Tom Spurling	Safet	/ Coordinator					
6.	EXACT PLANT LOCATION		<u> </u>					
	1425 Sunnyside Road, Weiser, Idaho)						
7.	GENERAL NATURE OF BUSINESS	& KINDS OF PR	ODUCTS	***************************************				
	Manufactured Homes							
8.	PERMIT AUTHORITY							
	This permit is issued according to the <i>Rules for the Control of Air Pollution in Idaho</i> , Section 58.01.01.400 and pertains only to emissions of air contaminants which are regulated by the state of Idaho and to the sources specifically allowed to be operated by this permit. THIS PERMIT HAS BEEN GRANTED ON THE BASIS OF DESIGN INFORMATION PRESENTED IN THE APPLICATION AND DIVISION OF ENVIRONMENTAL QUALITY'S (DEQ) TECHNICAL ANALYSIS OF THE SUPPLIED INFORMATION. CHANGES IN DESIGN OR EQUIPMENT, THAT RESULT IN ANY CHANGE IN THE NATURE OR AMOUNT OF EMISSIONS, MAY BE A MODIFICATION. MODIFICATIONS ARE SUBJECT TO DEQ REVIEW IN ACCORDANCE WITH SECTION 58.01.01.200 OF THE <i>RULES FOR THE CONTROL OF AIR POLLUTION IN IDAHO.</i> DISCLAIMER: This document may serve as a Preliminary Inspection Finding Form for use by Department personnel in communicating your compliance status upon inspection. It does not constitute a final determination of compliance status with the Idaho Code or any rules promulgated, permits issued, or consent or judicial orders entered into pursuant to the law. The Idaho Department of Environmental Quality reserves the right to supplement this document with additional compliance determinations, and amend, change, or otherwise modify any compliance determination stated in this document. This document in no way restricts the state of Idaho, Department of Environmental Quality from taking any action available under law to address past, present, or							
-	future violations of the laws administe	red by the agency	<i>(</i> .	ATE /2/19/2000				

ADMINISTRATOR, BOISE REGIONAL OFFICE DEPARTMENT OF ENVIRONMENTAL QUALITY

EXPIRATION DATE 12/16/2005

The Permitte				operate the equipment described herein subject to the emission limits and monitoring and reporting
Permittee:			Home B	
Project: Location:		r II Ope iser, Ida	rating Po aho	ermit 0 8 7 - 0 0 0 0 8
Source:		•		onditions
FOR DEQ USE (DNLY			
IN OUT PEND	UNK		C184	WR:bm J:XFERNAIR_PERMBRO\T2\CHAMP\T200072.FPM
		A.	racint	y-Wide Conditions
		A.1.	EMISS	ION LIMITS
			A.1.1	Opacity Limit
				Emissions from any stack, vent, or other functionally equivalent opening at the facility, shall not exceed twenty percent (20%) opacity for a period or periods aggregating more than three (3) minutes in any sixty (60) minute period as required by IDAPA 58.01.01.625 (<i>Rules for the Control of Air Pollution in Idaho</i>). Opacity shall be determined by the procedures contained in IDAPA 58.01.01.625.
		A.2.	OPERA	ATING REQUIREMENTS
			A.2.1	Reasonable Control of Fugitive Emissions
				All reasonable precautions shall be taken to prevent particulate matter from becoming airborne in accordance with IDAPA 58.01.01.650-651.
			A.2.2	<u>Odors</u>
				In accordance with IDAPA 58.01.01.776, the Permittee shall not allow, suffer, cause or permit the emissions of odorous gases, liquids, or solids into the atmosphere in such quantities as to cause air pollution.
		A.3.	MONIT	ORING AND RECORDKEEPING REQUIREMENTS
			A3.1	Fugitive Dust Records
			•	The permittee shall maintain records of all fugitive dust complaints received. The permittee shall take corrective action as soon as reasonably possible, but no later than twenty-four (24) hours after a valid complaint is received, unless the permittee demonstrates to the Department's satisfaction that the longer response time was necessary. The records shall, at a minimum include the date that each complaint was received and a description of the following: the complaint, the permittee's assessment of the validity of the complaint, and any corrective action taken.
			A,3.2	Odor Records
				The permittee shall maintain records of odor complaints received. The records shall, at a
Inspection Com	ments:			
- Addison				

ISSUED DATE: EXPIRATION DATE:

AID BOLLUTION OPERATING PERMIT	A 155	DOL I	HITION	OPERA	TING	PERMIT
--------------------------------	-------	-------	--------	-------	------	--------

IR POLLUTION OPERATING	PERMIT	Page 3	3 of 7
The state of the s	to operate the equipment described herein subject to	the emission limits and monitoring and reporting	
Permittee: Champion Hon		PERMIT NUMBER	
Project: Tier II Operation Weiser, Idaho	g Permit	0 8 7 - 0 0 0 0 8	
Source: A. Facility-Wid	e Conditions		
FOR DEQUISE ONLY	A		
A.4. RE	the complaint, the permittee's assessment of action taken. If the complaint has merit the reasonably possible, but no later than twenty received, unless the permittee demonstrate response time is necessary. PORTING REQUIREMENTS All documents including, but not limited to, requests for confidential treatment, testing red DEQ shall contain a certification by a response.	nt was received and a description of the follow of the validity of the complaint, and any corresponding to the shall take corrective action, as socy-four (24) hours after a valid complaint of orest to the Department's satisfaction that the lower records, monitoring data, supporting informations, and compliance certifications submittable official. The certification shall state that, the table inquiry, the statements and information etc.	ective on as dor is onger nation, ited to based
Inspection Comments:			
	produce 1 - Indiana process and a part of the contract of the		
		ISSUED DATE: EXPIRATION DATE:	

WR:bm T200072.FPM

The Permittee requirements	e is hereby allowed to operate the equipment descri specified in this permit.	bed herein subject to the emission limits and monitoring and reporting
Permittee: Project: Location:	Champion Home Builders Tier II Operating Permit Weiser, Idaho	PERMIT NUMBER 0 8 7 - 0 0 0 8
Source:	B. Mill and Cabinet Shop Cyclone	

FOR	DEQ	USE (ONLY	Y
IN	OUT	PEND	UNK	

	В.	MIII	and	Cabinet	Shop	Cyclone
--	----	------	-----	---------	------	---------

B.1. EMISSIONS LIMITS

B.1.1 Opacity Limit

Emissions from the Mill and Cabinet Shop Cyclone stack shall not exceed twenty percent (20%) opacity for a period or periods aggregating more than three (3) minutes in any sixty (60) minute period as required by IDAPA 58.01.01.625 (*Rules for the Control of Air Pollution in Idaho*). Opacity shall be determined by the procedures contained in IDAPA 58.01.01.625.

B.2. OPERATING REQUIREMENTS

B.2.1 Cyclone Maintenance and Operation

In accordance with General Provision B of this permit, the Permittee shall at all times maintain and operate the Mill and Cabinet Shop Cyclone in good working order to achieve compliance with the terms and conditions of this permit and other applicable laws for the control of air pollution.

Inspectic	on Comme	ints:															
																<u> </u>	
		7394, 355 337, 357 387, 727, 737	A TOWN			ā.	\$0000				ISS	UED	DATE:	 	 	 ***************************************	

WR-bm T200072.FPI

The Permittee is hereby allowed to operate the equipment described herein subject to the emission limits and monitoring and reporting requirements specified in this permit.										
Permittee: Project: Location:	Champion Home Builders Tier II Operating Permit Weiser, Idaho	PERMIT NUMBER 0 8 7 - 0 0 0 0 8								

So	urce) :	C.	Manuf	acturing	Plant
FOF	≀ DEC	USE	ONLY			
IN	OUT	PEND	UNK	C.	Manu	facturing Plant
	E Stranger			C.1.	EMISS	SIONS LIMITS
					C.1.1	Opacity Limit
						Emissions from the Manufacturing Plant's ceiling vents shall not exceed opacity for a period or periods aggregating more than three (3) minutes period as required by IDAPA 58.01.01.625 (Rules for the Control of Opacity shall be determined by the procedures contained in IDAPA 58.01.01.01.01.01.01.01.01.01.01.01.01.01.
				C.2.	OPER	ATING REQUIREMENTS
					C.2.1	Paint Products
						Paint products used to paint each manufactured home shall not compounds (VOC's) or hazardous air pollutants (HAP's) in excess of the Material Safety Data Sheets (MSDS's) submitted by the Permittee for
					C.2.2	Adhesive Products
						Adhesive products used in the manufacturing process shall not compounds (VOC's) or hazardous air pollutants (HAP's) in excess of the Material Safety Data Sheets (MSDS's) submitted by the Permittee for
				C.3.	МОМП	FORING AND RECORDKEEPING REQUIREMENTS
				•	C.3.1	Paint Products
						The Permittee shall maintain MSDS's for all paint products used to p home. The MSDS's shall be maintained in such a fashion so that co and conditions of this permit can be easily demonstrated. The MSDS' all times and be made available to DEQ representatives upon request
					C.3.2	Adhesive Products
						The Permittee shall maintain MSDS's for all adhesive products use process. The MSDS's shall be maintained in such a fashion so that co

ed twenty percent (20%) in any sixty (60) minute of Air Pollution in Idaho). 8.01.01.625.

contain volatile organic he amounts indicated on for this Operating Permit.

contain volatile organic he amounts indicated on for this Operating Permit.

paint each manufactured ompliance with the terms s's shall remain on-site at

ed in the manufacturing ompliance with the terms and conditions of this permit can be easily demonstrated. The MSDS's shall remain on-site at all times and be made available to DEQ representatives upon request.

Inspection Comments:	
	ISSUED DATE: EXPIRATION DATE:

TIER II OPERATING PERMIT GENERAL PROVISIONS

FOF	DEQ	USE	YLINC	Α.	All emissions authorized herein shall be consistent with the terms and conditions of this permit. The
N	out	PENO	UNK	· · ·	emission of any pollutant in excess of the limitations specified herein, or noncompliance with any other condition or limitation contained in this permit, shall constitute a violation of this permit and the Rules for the Control of Air Pollution in Idaho, and the Environmental Protection and Health Act, Idaho Code
				•	39-101 et. seq.
				B.	The Permittee shall at all times (except as provided in the Rules for the Control of Air Pollution in Idaho) maintain and operate in good working order all treatment or control facilities or systems installed or used to achieve compliance with the terms and conditions of this permit and other applicable laws for the control of air pollution.
				C.	The Permittee shall allow the Director, and/or his authorized representative(s), upon the presentation of credentials:
					 To enter upon the Permittee's premises where an emission source is located, or in which any records are required to be kept under the terms and conditions of this permit; and
					2) At reasonable times to have access to and copy any records required to be kept under the terms and conditions of this permit, to inspect any monitoring methods required in this permit, and to require stack emission testing (i.e., performance tests) in conformance with state approved or accepted EPA procedures when deemed appropriate by the Director.
				D.	Except for data determined to be confidential under Section 9-342A, <i>Idaho Code</i> , all reports prepared in accordance with the terms of this permit shall be available for public inspection at the appropriate regional office of the Department of Environmental Quality.
				€.	Nothing in this permit is intended to relieve or exempt the Permittee from compliance with any applicable federal, state, or local law or regulation, except as specifically provided herein.
				F .	In the event of any change in control or ownership of source(s) from which the authorized emissions emanate, the Permittee shall notify the succeeding owner or controller of the existence of this permit by letter, a copy of which shall be forwarded to the Director.
				G.	This permit shall be renewable on the expiration date, provided the Permittee submits any and all information necessary for the Director to determine the amount and type of air pollutants emitted from the equipment for which this permit is granted. Failure to submit such information within sixty (60) days after receipt of the Director's request shall cause the permit to be voided.
				H.	The Director may require the Permittee to develop a list of Operation and Maintenance Procedures to be approved by DEQ. Such list of procedures shall become a part of this permit by reference, and the Permittee shall adhere to all of the operation and maintenance procedures contained therein.
				i.	Performance tests (i.e.; air emission source tests) conducted pursuant to testing requirements in this permit must be conducted in accordance with IDAPA 58.01.01.157. Such testing shall not be conducted on weekends or state holidays unless the Permittee obtains prior DEQ approval.
insp	ection	ı Con	ımeni	s;	
					ISSUED DATE: EXPIRATION DATE: